





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 001

**Lab ID:** 2017898-001A  
**Collection Date:** 10/28/20 4:00  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 20:30

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 002

**Lab ID:** 2017898-002A  
**Collection Date:** 10/28/20 4:00  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 20:32

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 003

**Lab ID:** 2017898-003A  
**Collection Date:** 10/28/20 4:17  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 20:35

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 004  
**Lab ID:** 2017898-004A  
**Collection Date:** 10/28/20 4:18  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0013	mg/L	11/18/20 20:37

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 005  
**Lab ID:** 2017898-005A  
**Collection Date:** 10/28/20 4:20  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0031	mg/L	11/18/20 20:39

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 006  
**Lab ID:** 2017898-006A  
**Collection Date:** 10/28/20 4:20  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0087	mg/L	11/18/20 20:41

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 007

**Lab ID:** 2017898-007A  
**Collection Date:** 10/28/20 4:24  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0058	mg/L	11/18/20 20:43

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 008

**Lab ID:** 2017898-008A  
**Collection Date:** 10/28/20 4:24  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0040	mg/L	11/18/20 20:45

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 009

**Lab ID:** 2017898-009A  
**Collection Date:** 10/28/20 4:28  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0030	mg/L	11/18/20 20:51

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 010

**Lab ID:** 2017898-010A  
**Collection Date:** 10/28/20 4:28  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 20:53

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 011

**Lab ID:** 2017898-011A  
**Collection Date:** 10/28/20 4:00  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0013	mg/L	11/25/20 12:22

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 012  
**Lab ID:** 2017898-012A  
**Collection Date:** 10/28/20 4:00  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 20:55

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 013  
**Lab ID:** 2017898-013A  
**Collection Date:** 10/28/20 4:39  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0060	mg/L	11/18/20 20:57

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 014  
**Lab ID:** 2017898-014A  
**Collection Date:** 10/28/20 4:41  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0041	mg/L	11/18/20 20:59

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 015  
**Lab ID:** 2017898-015A  
**Collection Date:** 10/28/20 4:44  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0016	mg/L	11/18/20 21:01

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 016  
**Lab ID:** 2017898-016A  
**Collection Date:** 10/28/20 4:44  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0022	mg/L	11/18/20 21:03

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 017

**Lab ID:** 2017898-017A  
**Collection Date:** 10/28/20 4:44  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 21:05

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 018  
**Lab ID:** 2017898-018A  
**Collection Date:** 10/28/20 4:46  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 21:07

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 020

**Lab ID:** 2017898-019A  
**Collection Date:** 10/28/20 4:50  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8, Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 21:13

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 021

**Lab ID:** 2017898-020A  
**Collection Date:** 10/28/20 4:50  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:08

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 022  
**Lab ID:** 2017898-021A  
**Collection Date:** 10/28/20 4:53  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:14

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 023

**Lab ID:** 2017898-022A  
**Collection Date:** 10/28/20 4:53  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:16

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 024

**Lab ID:** 2017898-023A  
**Collection Date:** 10/28/20 4:55  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0025	mg/L	11/18/20 16:18

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 025

**Lab ID:** 2017898-024A  
**Collection Date:** 10/28/20 4:58  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0020	mg/L	11/18/20 16:20

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 026  
**Lab ID:** 2017898-025A  
**Collection Date:** 10/28/20 4:59  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:21

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 027

**Lab ID:** 2017898-026A  
**Collection Date:** 10/28/20 5:02  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0011	mg/L	11/25/20 12:24

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 028  
**Lab ID:** 2017898-027A  
**Collection Date:** 10/28/20 5:03  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:23

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 029  
**Lab ID:** 2017898-028A  
**Collection Date:** 10/28/20 5:04  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:29

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 030  
**Lab ID:** 2017898-029A  
**Collection Date:** 10/28/20 5:06  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:31

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 031  
**Lab ID:** 2017898-030A  
**Collection Date:** 10/28/20 5:06  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:33

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 032  
**Lab ID:** 2017898-031A  
**Collection Date:** 10/28/20 5:07  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:35

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 032  
**Lab ID:** 2017898-032A  
**Collection Date:** 10/28/20 5:07  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:37

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 033  
**Lab ID:** 2017898-033A  
**Collection Date:** 10/28/20 5:10  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0023	mg/L	11/18/20 16:39

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 035  
**Lab ID:** 2017898-034A  
**Collection Date:** 10/28/20 5:11  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:41

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 036

**Lab ID:** 2017898-035A  
**Collection Date:** 10/28/20 5:13  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:43

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 037

**Lab ID:** 2017898-036A  
**Collection Date:** 10/28/20 5:14  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:45

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 038

**Lab ID:** 2017898-037A  
**Collection Date:** 10/28/20 5:14  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:47

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 039  
**Lab ID:** 2017898-038A  
**Collection Date:** 10/28/20 5:20  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:53

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 040

**Lab ID:** 2017898-039A  
**Collection Date:** 10/28/20 5:21  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:55

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 041

**Lab ID:** 2017898-040A  
**Collection Date:** 10/28/20 5:23  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 16:57

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 042  
**Lab ID:** 2017898-041A  
**Collection Date:** 10/28/20 5:23  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0016	mg/L	11/18/20 16:59

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 043  
**Lab ID:** 2017898-042A  
**Collection Date:** 10/28/20 5:26  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:05

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 044

**Lab ID:** 2017898-043A  
**Collection Date:** 10/28/20 5:26  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:07

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 045  
**Lab ID:** 2017898-044A  
**Collection Date:** 10/28/20 5:26  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:09

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 046

**Lab ID:** 2017898-045A  
**Collection Date:** 10/28/20 5:29  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0049	mg/L	11/18/20 17:15

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 047

**Lab ID:** 2017898-046A  
**Collection Date:** 10/28/20 5:30  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:17

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 048  
**Lab ID:** 2017898-047A  
**Collection Date:** 10/28/20 5:34  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0048	mg/L	11/18/20 17:19

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 049  
**Lab ID:** 2017898-048A  
**Collection Date:** 10/28/20 5:36  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.014	mg/L	11/25/20 12:26

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 050

**Lab ID:** 2017898-049A  
**Collection Date:** 10/28/20 5:38  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:21

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 051  
**Lab ID:** 2017898-050A  
**Collection Date:** 10/28/20 5:41  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:23

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 052  
**Lab ID:** 2017898-051A  
**Collection Date:** 10/28/20 5:46  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0013	mg/L	11/18/20 17:25

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 053  
**Lab ID:** 2017898-052A  
**Collection Date:** 10/28/20 5:47  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:27

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 054  
**Lab ID:** 2017898-053A  
**Collection Date:** 10/28/20 5:47  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:29

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 055  
**Lab ID:** 2017898-054A  
**Collection Date:** 10/28/20 5:50  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:31

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 056  
**Lab ID:** 2017898-055A  
**Collection Date:** 10/28/20 5:51  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:33

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 057

**Lab ID:** 2017898-056A  
**Collection Date:** 10/28/20 5:51  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:39

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 058  
**Lab ID:** 2017898-057A  
**Collection Date:** 10/28/20 5:56  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:41

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 059

**Lab ID:** 2017898-058A  
**Collection Date:** 10/28/20 5:56  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:43

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 060  
**Lab ID:** 2017898-059A  
**Collection Date:** 10/28/20 6:00  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:45

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 061

**Lab ID:** 2017898-060A  
**Collection Date:** 10/28/20 6:00  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:47

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 062  
**Lab ID:** 2017898-061A  
**Collection Date:** 10/28/20 6:03  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0011	mg/L	11/18/20 17:49

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 063

**Lab ID:** 2017898-062A  
**Collection Date:** 10/28/20 6:11  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0013	mg/L	11/18/20 17:51

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 064  
**Lab ID:** 2017898-063A  
**Collection Date:** 10/28/20 6:16  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 17:57

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** 065  
**Lab ID:** 2017898-064A  
**Collection Date:** 10/28/20 6:19  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 18:03

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-121  
**Lab ID:** 2017898-065A  
**Collection Date:** 10/28/20 6:01  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8, Rev. 5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0016	mg/L	11/18/20 18:05

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-123  
**Lab ID:** 2017898-066A  
**Collection Date:** 10/28/20 6:10  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8, Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 18:07

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-124

**Lab ID:** 2017898-067A  
**Collection Date:** 10/28/20 6:10  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 18:09

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-126  
**Lab ID:** 2017898-068A  
**Collection Date:** 10/28/20 6:12  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0078	mg/L	11/25/20 12:28

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-122

**Lab ID:** 2017898-069A  
**Collection Date:** 10/28/20 6:10  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 18:11

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-125  
**Lab ID:** 2017898-070A  
**Collection Date:** 10/28/20 6:10  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0015	mg/L	11/18/20 18:13

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-119

**Lab ID:** 2017898-071A  
**Collection Date:** 10/28/20 6:00  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0060	mg/L	11/18/20 18:15

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-116  
**Lab ID:** 2017898-072A  
**Collection Date:** 10/28/20 5:52  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0013	mg/L	11/18/20 18:17

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-107  
**Lab ID:** 2017898-073A  
**Collection Date:** 10/28/20 5:42  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0035	mg/L	11/18/20 18:19

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-108  
**Lab ID:** 2017898-074A  
**Collection Date:** 10/28/20 5:40  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0022	mg/L	11/18/20 18:21

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** *JDHS-111*

**Lab ID:** 2017898-075A  
**Collection Date:** 10/28/20 5:40  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 18:27

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-114  
**Lab ID:** 2017898-076A  
**Collection Date:** 10/28/20 5:40  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0046	mg/L	11/18/20 18:29

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-113  
**Lab ID:** 2017898-077A  
**Collection Date:** 10/28/20 5:45  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0019	mg/L	11/18/20 18:31

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-110  
**Lab ID:** 2017898-078A  
**Collection Date:** 10/28/20 5:40  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0014	mg/L	11/18/20 18:33

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-112

**Lab ID:** 2017898-079A  
**Collection Date:** 10/28/20 5:40  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0027	mg/L	11/18/20 18:35

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-115  
**Lab ID:** 2017898-080A  
**Collection Date:** 10/28/20 5:45  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0033	mg/L	11/18/20 18:37

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-103  
**Lab ID:** 2017898-081A  
**Collection Date:** 10/28/20 5:39  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 18:39

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** *JDHS-104*  
**Lab ID:** 2017898-082A  
**Collection Date:** 10/28/20 5:39  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 18:41

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** *JDHS-105*  
**Lab ID:** 2017898-083A  
**Collection Date:** 10/28/20 5:39  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 18:43

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** *JDHS-106*  
**Lab ID:** 2017898-084A  
**Collection Date:** 10/28/20 5:39  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0010	mg/L	11/18/20 18:52

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-102  
**Lab ID:** 2017898-085A  
**Collection Date:** 10/28/20 5:37  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 18:54

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** *JDHS-101*  
**Lab ID:** 2017898-086A  
**Collection Date:** 10/28/20 5:37  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 18:56

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-99  
**Lab ID:** 2017898-087A  
**Collection Date:** 10/28/20 5:30  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0014	mg/L	11/18/20 18:58

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-100

**Lab ID:** 2017898-088A

**Collection Date:** 10/28/20 5:33

**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.018 *	mg/L	11/25/20 12:30

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** *JDHS-98*  
**Lab ID:** 2017898-089A  
**Collection Date:** 10/28/20 5:29  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0013	mg/L	11/18/20 19:00

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-97  
**Lab ID:** 2017898-090A  
**Collection Date:** 10/28/20 5:27  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8, Rev. 5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0017	mg/L	11/18/20 19:02

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** *JDHS-93*  
**Lab ID:** 2017898-091A  
**Collection Date:** 10/28/20 5:23  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 19:04

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-092  
**Lab ID:** 2017898-092A  
**Collection Date:** 10/28/20 5:23  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 19:06

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-094  
**Lab ID:** 2017898-093A  
**Collection Date:** 10/28/20 5:24  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0059	mg/L	11/25/20 12:16

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-096  
**Lab ID:** 2017898-094A  
**Collection Date:** 10/28/20 5:25  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 19:08

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-095  
**Lab ID:** 2017898-095A  
**Collection Date:** 10/28/20 5:24  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0027	mg/L	11/18/20 19:14

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-091  
**Lab ID:** 2017898-096A  
**Collection Date:** 10/28/20 5:23  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 19:16

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-117  
**Lab ID:** 2017898-097A  
**Collection Date:** 10/28/20 5:54  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0014	mg/L	11/18/20 19:18

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-118  
**Lab ID:** 2017898-098A  
**Collection Date:** 10/28/20 5:46  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 19:20

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** JDHS-120  
**Lab ID:** 2017898-099A  
**Collection Date:** 10/28/20 6:01  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8, Rev. 5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0016	mg/L	11/18/20 19:22

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Jamesville Dewitt Central School Dist.  
**Location:** Jamesville DeWitt High School / Lead Study  
**Matrix:** PWS

**Client Sample ID:** *JDHS-109*  
**Lab ID:** 2017898-100A  
**Collection Date:** 10/28/20 5:40  
**Date Received:** 10/28/20 13:20

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/18/20 19:24

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



5854 Butternut Drive  
East Syracuse, NY 13057

Phone # (315) 445-1900

Telefax # (315) 445-1104

### Chain of Custody Record

2017898

JamesvilleDewittCSD

7630

Client: Jamesville Dewitt High School  
Address: 6845 Edinger Dr  
PO Box 606 Dewitt, NY 13214

Phone # 315 445 8340  
Fax # 315 445 8307

Contact Person: \_\_\_\_\_ LSL Project #: \_\_\_\_\_  
Client's Site I.D.: Jamesville Dewitt High School  
Client's Project I.D.: LSL#

**Authorization:**

SL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type		Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
				grab	comp.			#	size/type			
001	Custodian	10/28	4:00	X		PW	None	1	250 mL	Lead	001A	42
002	" "	10/28	4:00	X				1			2	
003	Large Cafeteria	10/28	4:07	X				1			3	
004	Kitchen Island	10/28	4:18	X				1			4	
005	Kitchen Wash bay	10/28	4:20	X				1			5	
006	" "	10/28	4:20	X				1			6	
007	Kitchen Rest Wash	10/28	4:24	X				1			7	
008	" "	10/28	4:24	X				1			8	
009	Kitchen Hand Sink	10/28	4:28	X				1			9	
010	Kitchen Spray	10/28	4:28	X				1			10	
011	Kitchen	10/28	4:	X				1			11	
012	Small Cafeteria	10/28	4:	X				1			12	
013	Boys Locker Room LAV	10/18	4:39	X				1			13	
014	Girls Locker Room	10/18	4:41	X				1			14	

Notes and Hazard identifications:

Custody Transfers		Date	Time
Sampled and Relinquished By:			
Print Name:	Signature:		
Received By:			
Relinquished By:	Received By:		
Relinquished By:	Received for Lab By:	<u>10/28/20</u>	<u>13:20</u>
Shipment Method:	Samples Received Intact: <input checked="" type="checkbox"/> N	<u>19.1°C</u>	



Life Science Laboratories, Inc.

5854 Butternut Drive  
East Syracuse, NY 13057

Phone # (315) 445-1900

Telefax # (315) 445-1104

2017898

JamesvilleDewittCSD

7630

### Chain of Custody Record

Client: Jamesville Dewitt High School Phone # 315 445 8340  
Address: 6845 Edinger Dr. Fax # 315 445 8307  
PO Box 606 Dewitt, NY 13214

Contact Person: \_\_\_\_\_ LSL Project #: \_\_\_\_\_  
Client's Site I.D.: Jamesville Dewitt High School  
Client's Project I.D.: \_\_\_\_\_

Authorization: \_\_\_\_\_

SL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type		Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
				grab	comp.			#	size/type			
015	Main lobby boy's left	10/28	4:44	X		PW	None	1	250 mL	Lead	015A	22
016	" " Middle	10/28	4:44	X				1			16	1
017	" " Right	10/28	4:44	X				1			17	1
018	Main lobby Girls left	10/28	4:46	X				1			18	1
019	" " Middle	10/28	4:46	X				1				1
020	" " Right	10/28	4:50	X				1			19	1
021	Main Entrance NC	10/28	4:50	X				1			20	1
022	Nurses Station by Fridge	10/28	4:53	X				1			21	1
023	Nurse office Bathroom	10/28	4:53	X				1			22	1
024	Nurse office Exam	10/28	4:55	X				1			23	1
025	Main office Copy Room	10/28	4:58	X				1			24	1
026	For Counselor's WF	10/28	4:59	X				1			25	1
027	Guidance office Sink	10/28	5:02	X				1			26	1
028	G17 - LAV	10/28	5:03	X				1			27	1

Notes and Hazard identifications: \_\_\_\_\_

Custody Transfers		Date	Time
Sampled and Relinquished By:			
Print Name:	Signature:		
Received By:			
Relinquished By:	Received By:		
Relinquished By:	Received for Lab By:	10/28/20	13:20
Shipment Method:	Samples Received Intact: <input checked="" type="radio"/> N		19-1°C

Life Science Laboratories, Inc.

LSL

5854 Butternut Drive  
East Syracuse, NY 13057

Phone # (315) 445-1900

Telefax # (315) 445-1104

### Chain of Custody Record

2017898

JamesvilleDewittCSD

7630

Client: Jamesville DeWitt High School Phone # 3154458340  
Address: 6845 Edinger Dr Fax # 3154458307  
PO Box 606 DeWitt, NY 13214

Contact Person: \_\_\_\_\_ LSL Project #: \_\_\_\_\_  
Client's Site I.D.: Jamesville DeWitt High School  
Client's Project I.D.: \_\_\_\_\_

Authorization: \_\_\_\_\_

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type		Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
				grab	comp.			#	size/type			
029	G17 Kitchen Sink	10/28	5:04	X		PW	None	1	250 mL	Lead	0.26A	<2
030	Boy's bathroom left LAV	10/28	5:00	X				1			29	
031	" " Right LAV	10/28	5:00	X				1			30	
032	Girls bathroom Right LAV	10/28	5:07	X				1			31	
033	Girls bathroom Left LAV	10/28	5:07	X				1			32	
034	Band Room Facit	10/28	5:10	X				1			33	
035	Band Room Water Chiller	10/28	5:11	X				1			34	
036	DO Breakroom Facit	10/28	5:13	X				1			35	
037	"DO" Mens Bathroom	10/28	5:14	X				1			36	
038	"DO" Womens Bathroom	10/28	5:14	X				1			37	
039	Athletic office FSL	10/28	5:20	X				1			38	↓
				X				1				
				X				1				
				X				1				

Notes and Hazard Identifications:

Custody Transfers		Date	Time
Sampled and Relinquished By:			
Print Name:	Signature:		
Received By:			
Relinquished By:	Received By:		
Relinquished By:	Received for Lab By:	<u>10/28/2020</u>	<u>13:20</u>
Shipment Method:	Samples Received Intact: <input checked="" type="radio"/> N		<u>19.1°C</u>





Life Science Laboratories, Inc.

5854 Butternut Drive  
East Syracuse, NY 13057

Phone # (315) 445-1900

Telefax # (315) 445-1104

### Chain of Custody Record

2017898

JamesvilleDewittCSD

7630

Client: Jamesville Dewitt High School Phone # 315 445 8340  
Address: 6845 Edinger Dr Fax # 315 445 8307  
PO Box 606 Dewitt, NY 13214

Contact Person: \_\_\_\_\_ LSL Project #: \_\_\_\_\_  
Client's Site I.D.: Jamesville Dewitt High School  
Client's Project I.D.: \_\_\_\_\_

Authorization:

SL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type		Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
				grab	comp.			#	size/type			
040	AD Fountain WL	10/28	5:21	X		PW	None	1	250 mL	Lead	039A	<2
041	AD Boys Lav	10/28	5:23	X				1			40	
042	AD Boys Lav	10/28	5:23	X				1			41	
043	AD Girls Lav	10/28	5:26	X				1			42	
044	AD Girls Lav	10/28	5:26	X				1			43	
045	AD Girls Lav	10/28	5:26	X				1			44	
046	Math Office FSC	10/28	5:29	X				1			45	
047	LGR Fountain	10/28	5:30	X				1			46	
048	RO5 - Science	10/28	5:34	X				1			47	
049	RO9 - Science	10/28	5:36	X				1			48	
050	Library Fountain WL	10/28	5:38	X				1			49	
051	Library Breakroom FSC	10/28	5:41	X				1			50	
052	New Girls LR LAV	10/28	5:46	X				1			51	
053	New Girls LR LAV	10/28	5:47	X				1			52	

Notes and Hazard identifications:

Custody Transfers		Date	Time
Sampled and Relinquished By:			
Print Name:	Signature:		
Received By:			
Relinquished By:	Received By:		
Relinquished By:	Received for Lab By:	10/28/2020	13:20
Shipment Method:	Samples Received Intact: Y N		19.1°C



5854 Butternut Drive  
East Syracuse, NY 13057

Phone # (315) 445-1900

Telefax # (315) 445-1104

### Chain of Custody Record

2017898

JamesvilleDewittCSD

7630

Client: Jamesville Dewitt High School Phone # 315 445 8340  
Address: 6845 Edinger Dr Fax # 315 445 8307  
PO Box 606 Dewitt, NY 13214

Contact Person: \_\_\_\_\_ LSL Project #: \_\_\_\_\_  
Client's Site I.D.: Jamesville Dewitt High School  
Client's Project I.D.: \_\_\_\_\_

Authorization:

SL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type		Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
				grab	comp.			#	size/type			
054	New Girls LR LAV	10/28	5:47	X		PW	None	1	250 mL	Lead	053A	✓
055	Boys lower RM LAV	10/28	5:50	X				1			54	
056	Boys Lower RM LAV	10/28	5:51	X				1			55	
057	Boys Lower RM LAV	10/28	5:51	X				1			56	
058	New Gym - WC	10/28	5:56	X				1			57	
059	New Gym - WC	10/28	5:56	X				1			58	
060	New Gym boys-LAV	10/28	6:00	X				1			59	
061	New Gym boys LAV	10/28	6:00	X				1			60	
062	B-19 - CF	10/28	6:03	X				1			61	
063	Crossin Stand KC	10/28	6:11	X				1			62	
064	Ferrara Courts OFFICE	10/28	6:16	X				1			63	
065	Male Courts OFFICE	10/28	6:19	X				1			64	✓
				X				1				
				X				1				

Notes and Hazard identifications:

Custody Transfers		Date	Time
Sampled and Relinquished By:			
Print Name:	Signature:		
Received By:			
Relinquished By:	Received By:		
Relinquished By:	Received for Lab By:	<u>10/28/2022</u>	<u>13:20</u>
Shipment Method:	Samples Received Intact: <input checked="" type="checkbox"/> N		<u>19.1°C</u>



Life Science Laboratories, Inc.

5854 Butternut Drive  
East Syracuse, NY 13057

Phone # (315) 445-1900

Telefax # (315) 445-1104

### Chain of Custody Record

2017898

JamesvilleDewittCSD

7630

<b>Client:</b> <u>Jamesville-Dewitt High School</u> <b>Address:</b> <u>6845 Edinger Drive</u> <u>PO Box 606 Dewitt, NY 13214</u>	<b>Phone #</b> <u>315 445 8340</u> <b>Fax #</b> <u>315 445 8307</u>	<b>Contact Person:</b> _____	<b>LSL Project #:</b> _____  <b>Client's Site I.D.:</b> <u>Jamesville Dewitt High School</u>  <b>Client's Project I.D.:</b> _____
--	--	---------------------------------	--

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type		Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
				grab	comp.			#	size/type			
JDHS-121	B20	10/28/20	6:01	x		PW	None	1	250 mL	Lead	065A	LD
JDHS-123	Trainers Hall	10/28/20	6:10	x				1			66	
JDHS-124	Trainers Hall	10/28/20	6:10	x				1			67	
JDHS-126	Trainers Hall	10/28/20	6:12	x				1			68	
JDHS-127	Trainers Hall	10/28/20	6:10	x				1			69	
JDHS-125	Trainers office	10/28/20	6:00	x				1			70	
JDHS-119	Girls Blue	10/28/20	6:00	x				1			71	
JDHS-116	Blue Hall	10/28/20	5:52	x				1			72	
JDHS-107	B05	10/28/20	5:42	x				1			73	
JDHS-108	B04	10/28/20	5:40	x				1			74	
JDHS-111	B04	10/28/20	5:40	x				1			75	
JDHS-114	B06	10/28/20	5:40	x				1			76	
JDHS-113	B06	10/28/20	5:45	x				1			77	
JDHS-110	B04	10/28/20	5:40	x				1			78	
<del>JDHS-109</del>	<del>B04</del>											

<b>Notes and Hazard identifications:</b>  _____ _____ _____	<b>Custody Transfers</b>		<b>Date</b>	<b>Time</b>
	<b>Sampled and Relinquished By:</b> _____			
	<b>Print Name:</b> _____		<b>Signature:</b> _____	
	<b>Received By:</b> _____			
	<b>Relinquished By:</b> _____		<b>Received By:</b> _____	
<b>Relinquished By:</b> _____		<b>Received for Lab By:</b> <u>[Signature]</u>		
<b>Shipment Method:</b> _____		<b>Samples Received Intact:</b> <u>Y</u> N		<u>10/28/20</u> <u>13:20</u> <u>19.1°C</u>



Life Science Laboratories, Inc.

5854 Butternut Drive  
East Syracuse, NY 13057

Phone # (315) 445-1900

Telefax # (315) 445-1104

### Chain of Custody Record

2017898

JamesvilleDewittCSD

7630

Client: <u>Jamesville DeWitt High School</u> Phone # <u>315-445-8340</u>	Contact Person:	LSL Project #:
Address: <u>6845 Edinger Drive</u> Fax # <u>315-445-8307</u>		Client's Site I.D.:
<u>PO Box 606 DeWitt, NY 13214</u>		<u>Jamesville DeWitt High School</u>
	Authorization:	Client's Project I.D.:

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type		Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
				grab	comp.			#	size/type			
<del>JDHS-047</del>	<del>B04</del>	<del>10/28/20</del>		X		PW	None	1	250 ml	Lead		LJ
JDHS-112	B06	10/28/20	5:40	X				1			079A	
JDHS-115	B06	10/28/20	5:45	X				1			80	
JDHS-103	B02	10/28/20	5:39	X				1			81	
JDHS-104	B02	10/28/20	5:39	X				1			82	
JDHS-105	B02	10/28/20	5:39	X				1			83	
JDHS-106	B02	10/28/20	5:39	X				1			84	
JDHS-102	B01	10/28/20	5:39	X				1			85	
JDHS-101	B01	10/28/20	5:37	X				1			86	
JDHS-99	Var FT B1	10/28/20	5:30	X				1			87	
JDHS-100	LCK/m	10/28/20	5:33	X				1			88	
JDHS-98	network office	10/28/20	5:29	X				1			89	
JDHS-97	G01	10/28/20	5:27	X				1			90	
JDHS-93	Fac mens	10/28/20	5:23	X				1			91	✓

Notes and Hazard identifications:	<b>Custody Transfers</b>		<b>Date</b>	<b>Time</b>
	Sampled and Relinquished By:			
	Print Name:	Signature:		
	Received By:			
	Relinquished By:	Received By:		
	Relinquished By:	Received for Lab By:	<i>[Signature]</i>	10/28/20 13:20
Shipment Method:		Samples Received Intact: Y N		19.1°C



Life Science Laboratories, Inc.

5854 Butternut Drive  
East Syracuse, NY 13057

Phone # (315) 445-1900

Telefax # (315) 445-1104

### Chain of Custody Record

2017898

JamesvilleDewittCSD

7630

<b>Client:</b> Jamesville Dewitt High School Phone # 315 445 8340	<b>Contact Person:</b>	<b>LSL Project #:</b>
<b>Address:</b> 6845 Edinger Dr PO Box 606 Dewitt, NY 13214 Fax # 315 445 8307		<b>Client's Site I.D.:</b> Jamesville Dewitt High School
<b>Authorization:</b>		<b>Client's Project I.D.:</b>

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type		Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
				grab	comp.			#	size/type			
JDHS-092	Fac mens	10/22/20	5:23	X		PW	None	1	250 mL	Lead	092A	✓
JDHS-094	Fac Fe	10/28/20	5:24	X				1			93	
JDHS-096	Fac Rm	10/28/20	5:25	X				1			94	
JDHS-095	Fac Fe	10/28/20	5:24	X				1			95	
JDHS-091	Fac Rm	10/28/20	5:23	X				1			96	
<del>JDHS-001</del>	<del>Cust</del>	<del>10/28/20</del>	<del>4:00</del>	<del>X</del>				<del>1</del>				
<del>JDHS-002</del>	<del>Cust</del>	<del>10/28/20</del>	<del>4:02</del>	<del>X</del>				<del>1</del>				
JDHS-117	BI Fac	10/28/20	5:54	X				1			97	
JDHS-118	BL WC	10/28/20	5:46	X				1			98	
JDHS-120	PE Blue mens	10/28/20	6:01	X				1			99	
JDHS-109	B04	10/28/20	5:40	X				1			100	✓
				X				1				
				X				1				
				X				1				

<b>Notes and Hazard identifications:</b>	<b>Custody Transfers</b>		<b>Date</b>	<b>Time</b>
	<b>Sampled and Relinquished By:</b>			
	<b>Print Name:</b>		<b>Signature:</b>	
	<b>Received By:</b>			
	<b>Relinquished By:</b>		<b>Received By:</b>	
	<b>Relinquished By:</b>		<b>Received for Lab By:</b>	
<b>Shipment Method:</b>		<b>Samples Received Intact:</b> Y N		10/28/2020 13:26